

FIRE FIGHTER I JPR: FFI-1A

(Candidate: _			
STANI	DARD: 4.1.2			
NFPA	1001, 2019 E	lition	Don personal protective clothing within one (1) minute.	
Genera	al Skill Requi	rements:		
PERFORMANCE OUTCOME: Safety: A safet		The candidate sha	nall be able to properly don personal protective clothing in one minute.	
		Safety: A safety violation is grounds for automatic failure. All proctors present shall review the safety violation.		
EQUIF	PMENT REQ	UIRED: Bunker p	ants, coat, hood, gloves, and helmet.	
COND	ITIONS: Giv	ven personal protect	ive clothing, the candidate shall demonstrate the ability to:	
No.			Task Steps	✓
	DONNING	:		
1.	Don pants	and boots properly-	including suspenders in place.	
2.	Don hood.			
3.	Don coat-ii	ncluding storm flap	closed and collar up and secured.	
4.	Don helme	t. (eye protection n	ot required)	
5.	Don gloves	3.		
6.	Complete a	bove correctly with	in one minute.	
		<u> </u>		4
Evaluate	Or (Print & Sign	<u> </u>	Date:	



Candidate:

FIRE FIGHTER I JPR: FFI-1B

STANDARD: 4.1.2; 4.3.20 NFPA 1001, 2019 Edition			Task #1: Tie an approved knot(s) for the tools or equipment selected.			
General Skill Requirements / Fire Ground Operations			Task #2: Hoist a tool and/or piece of equipment using the correct knot(s)			
	ORMANCE		The candidate shall demonstrate the ability to tie an approved knot and hoist or have hoisted a too or piece of equipment to a designated height, as specified by evaluator.			
OUTCOME:		Safety: A safety violation is grounds for automatic failure. All proctors present shall review the safety violation.				
_	PMENT REQU an appliance.	JIRED: Full PPE, u	tility rope, forcible entry tools, pike pole, roof ladder, hose line, fan, p	ower saw		
COND	ITIONS: Give	en a simulated fire sco	enario, the candidate shall demonstrate the ability to:			
No.			Task Steps	√		
1.		oved knot(s) for the to	pols or equipment selected (i.e. bowline, figure eight on a bite, clove neet bend).			
2.	Hoist or hav	e hoisted a tool and/o	or piece of equipment to a designated height.			
Evaluate	or (Print & Sign)		Date:			



FIRE FIGHTER I JPR: FFI-1D

STANI	DARD: 4.1.2			
NFPA 1001, 2019 Edition		J:4:	Task #1: Perform field reduction of contaminants.	
	1001, 2019 E al Skill Requi		Task #2: Doff personal protective clothing and prepare for reuse.	
PERFORMANCE OUTCOME:		The candidate shall be able to properly perform field reduction, and doff personal protective clothing for reuse.		
		Safety: A safety violation is grounds for automatic failure. All proctors present shall review the safety violation.		
EQUIP	PMENT REQ	UIRED: Bunker p	ants, coat, hood, gloves, and helmet.	
COND	ITIONS: Gi	ven personal protect	ive clothing, the candidate shall demonstrate the ability to:	
No.			Task Steps	✓
	FIELD RI	EDUCTION:		
1.	Perform fie	eld reduction of con	taminants per AHJ standard practice.	
	DOFFING	3 :		
2.	Explain or	demonstrate AHJ p	rocess for returning PPE in an operational state.	
Evaluate	Or (Print & Sign	1)	Date:	

Candidate:



Candidate:

FIRE FIGHTER I JPR: FFI-3A

Fire Ground Operations The candidate shall demonstrates ability to: No. Don SCBA: Correctly don SCBA including checking PASS device. Correctly don face piece including checking PASS device. Correctly accomplished all of the above DEMONSTRATE CONSERVATIONS: Controlled Breathing: (As taught / Instance) Air Delivery System: Recognizes Air Delivery System Fail Initiates actions to exit hazardous en Activates PASS Device CYLINDER REPLACEMENT - Nongeround environs activated technique low-air vectors of the compression of the surface procedures in the event of SC SCBA air cylinders, use SCB procedures in the event of SC SCBA air cylinders, use SCB procedures in the event of SC SCBA air cylinders, use SCB procedures in the event of SC SCBA air cylinders, use SCB procedures in the event of SC SCBA air cylinders, use SCB procedures in the event of SC SCBA air cylinders, use SCBA procedures in the event of SC SCBA air cylinders, use SCBA procedures in the event of SC SCBA in cylinders, use SCBA procedures in the event of SC SCBA procedures in the event of SC SCBA procedures in the event of SC SCBA air cylinders, use SCB procedures in the event of SC SCBA procedures in the event of SC SCBA air cylinders, use SCB procedures in the event of SC SCBA procedures	protective equipment, so that the SCBA is correctly donned an within 1 minute, the SCBA is correctly worn, controlled breat es are used, emergency procedures are enacted if the SCBA fail varnings are recognized, respiratory protection is not intentional nised, and hazardous areas are exited prior to air depletion. The test ability to Don SCBA within 1-minute, control breathing A to exit through restricted passages, initiate and complete eme BA failure or air depletion, and complete donning procedures. The grounds for automatic failure. All proctors present shall restricted passage, and full personal protective equipment. The stricted passage, and with restricted passages, the candidate shall demonst the stricted passages.	thing ils, all ally g, replace			
PERFORMANCE OUTCOME: The candidate shall demonstrates ability to change The candidate shall demonstrates ability to change The candidate shall demonstrates ability to change The candidate shall demonstrates ability to comprone of the candidate shall demonstrates after the candidate shall demonstrates ability are SCBA air cylinders, use SCB procedures in the event of SC SCBA air cylinders, use SCB procedures in the event of SC SCBA; are SCBA, prop for rescaled to the safety violation. EQUIPMENT REQUIRED: SCBA, prop for rescaled to the safety violation. EQUIPMENT REQUIRED: SCBA, prop for rescaled to the safety violation. CONDITIONS: Given a non-fire ground environe ability to: No. Don SCBA: Correctly don SCBA including checking passed evice. 2. Correctly don face piece including checking passed evice. 3. Have all personal protective clothing conditions of the above page of the property accomplished all of the above page of the property accomplished all of the above page of the property accomplished all of the above page of the property accomplished all of the above page of the property accomplished all of the above page of the property system: SCBA FAILURE: Air Delivery System: Recognizes Air Delivery System Fail Initiates actions to exit hazardous end Activates PASS Device CYLINDER REPLACEMENT - No. Properly demonstrates ability to change	ate the ability to Don SCBA within 1-minute, control breathing A to exit through restricted passages, initiate and complete eme BA failure or air depletion, and complete donning procedures. grounds for automatic failure. All proctors present shall restricted passage, and full personal protective equipment.	g, replace			
SCBA air cylinders, use SCB procedures in the event of SC Safety: A safety violation is the safety violation. EQUIPMENT REQUIRED: SCBA, prop for resconditionability to: No. Don SCBA: Correctly don SCBA including checking PASS device. Correctly don face piece including checking PASS device. Correctly accomplished all of the above DEMONSTRATE CONSERVATIONS. Controlled Breathing: (As taught / Insection SCBA FAILURE: Air Delivery System: Recognizes Air Delivery System Fail Initiates actions to exit hazardous en Activates PASS Device CYLINDER REPLACEMENT - No. Properly demonstrates ability to change	A to exit through restricted passages, initiate and complete eme BA failure or air depletion, and complete donning procedures. grounds for automatic failure. All proctors present shall restricted passage, and full personal protective equipment.	ergency			
EQUIPMENT REQUIRED: SCBA, prop for research conditions: Given a non-fire ground environs ability to: No. Don SCBA: 1. Correctly don SCBA including checking PASS device. 2. Correctly don face piece including checking PASS device. 4. Correctly accomplished all of the above DEMONSTRATE CONSERVATION SCBA FAILURE: Air Delivery System: Recognizes Air Delivery System Fail Initiates actions to exit hazardous en Activates PASS Device CYLINDER REPLACEMENT - N Properly demonstrates ability to change					
CONDITIONS: Given a non-fire ground environ ability to: No. Don SCBA: Correctly don SCBA including checking PASS device. Correctly don face piece including checking PASS device. Have all personal protective clothing code. Correctly accomplished all of the above DEMONSTRATE CONSERVATIONS. Controlled Breathing: (As taught / Instrumental SCBA FAILURE: Air Delivery System: Recognizes Air Delivery System Fail Initiates actions to exit hazardous end Activates PASS Device CYLINDER REPLACEMENT - No. Properly demonstrates ability to change					
ability to: No. Don SCBA: Correctly don SCBA including checking PASS device. Correctly don face piece including checking PASS device. Have all personal protective clothing cords. Correctly accomplished all of the above DEMONSTRATE CONSERVATIONS. Controlled Breathing: (As taught / Instrumental SCBA FAILURE: Air Delivery System: Recognizes Air Delivery System Fail Initiates actions to exit hazardous endactivates PASS Device CYLINDER REPLACEMENT - No. Properly demonstrates ability to change	ment and with restricted passages, the candidate shall demonst				
1. Correctly don SCBA including checking PASS device. 2. Correctly don face piece including checking PASS device. 3. Have all personal protective clothing conductive and protective clothing conductive devices and protective clothing conductive devices and protective clothing conductive devices and personal protective clothing conductive clothing conductive devices and personal protective clothing conductive clothing conductive devices and personal protective clothing conductive clothing conductive devices and personal clothing clothing clothing clothing clothing clothing clothing c		trate the			
1. Correctly don SCBA including checking PASS device. 2. Correctly don face piece including checking PASS device. 3. Have all personal protective clothing conductive and protective clothing conductive devices and protective clothing conductive and personal persona personal personal personal personal personal personal personal p	Task Steps	\checkmark			
1. PASS device. 2. Correctly don face piece including check 3. Have all personal protective clothing conductive devices and the shore of the shore					
3. Have all personal protective clothing conductive described and of the above DEMONSTRATE CONSERVATI 5. Controlled Breathing: (As taught / Instrumental SCBA FAILURE: Air Delivery System: Recognizes Air Delivery System Fail Initiates actions to exit hazardous ender Activates PASS Device CYLINDER REPLACEMENT - No. Properly demonstrates ability to change	g amount of air in cylinder and operation of low air alarm and				
4. Correctly accomplished all of the above DEMONSTRATE CONSERVATI 5. Controlled Breathing: (As taught / In: SCBA FAILURE: Air Delivery System: Recognizes Air Delivery System Fail Initiates actions to exit hazardous en Activates PASS Device CYLINDER REPLACEMENT - N 7. Properly demonstrates ability to change	cing seal and operating of exhalation.				
5. Controlled Breathing: (As taught / In SCBA FAILURE: Air Delivery System: Recognizes Air Delivery System Fail Initiates actions to exit hazardous en Activates PASS Device CYLINDER REPLACEMENT - N Properly demonstrates ability to change	· ^				
5. Controlled Breathing: (As taught / In: SCBA FAILURE: Air Delivery System: Recognizes Air Delivery System Fail Initiates actions to exit hazardous en Activates PASS Device CYLINDER REPLACEMENT - N Properly demonstrates ability to change	in one (1) minute.				
6. SCBA FAILURE: Air Delivery System: Recognizes Air Delivery System Fail Initiates actions to exit hazardous en Activates PASS Device CYLINDER REPLACEMENT - N Properly demonstrates ability to change	ON OF AIR:				
6. Recognizes Air Delivery System Fair Initiates actions to exit hazardous en Activates PASS Device CYLINDER REPLACEMENT - N 7. Properly demonstrates ability to change	structed by AHJ).				
6. Recognizes Air Delivery System Fai Initiates actions to exit hazardous er Activates PASS Device CYLINDER REPLACEMENT - N 7. Properly demonstrates ability to change					
Activates PASS Device CYLINDER REPLACEMENT - N Properly demonstrates ability to change					
Initiates actions to exit hazardous en Activates PASS Device CYLINDER REPLACEMENT - N 7. Properly demonstrates ability to change	lure				
7. Properly demonstrates ability to change	vironment				
7. Properly demonstrates ability to change	Activates PASS Device				
	ION HAZARDOUS ENVIRONMENT:				
DECEDICATED DACCA CE.	out empty cylinder with full cylinder				
RESTRICTED PASSAGE:					
8. Demonstrate the ability to maneuver thro	ough a restricted passage while remaining on air.				